

# ∞ Index ∞

Note: Page numbers in *italic type* refer to information in illustrations, graphs, tables, or captions.

## A

- Acidifying drip systems, 133–135
- Actinomycetes
  - defined, 151
  - as soil microbes, 15
- Adapters
  - accessory (speed couplings), 64–65, 157
  - bung fittings for surge tanks, 102, 102
  - compression ring, 41–42, 41
  - defined, 151
  - hose threads to pipe threads, 39, 152
  - installing, 39, 40
  - threaded adapter busing, 67
- Aerators, SDI tubing damaged by, 142
- Aerobic soils
  - defined, 151
  - soil microbe populations, 15, 16, 49, 99
- Agrifim (Dura-Flo and Dora-Flo PC) tubing
  - maximum length for flat ground, 149
  - for SDI systems, 141
  - suppliers, 163
- Air vacuum relief valves, for SDI systems, 142–143, 145
- Algae, as soil microbes, 15
- American Rainwater Catchment Systems Association, web site, 166
- Anaerobic soils
  - harmful pathogens in, 14
  - overwatering and, 16, 49–50, 104
- Annual bedding plants
  - grey water used for, 98
  - See also* Vegetable beds
- Anti-siphon devices, 65–67
  - See also* Backflow preventers
- Atmospheric vacuum breakers, 20, 65
  - cost of, 65–66
  - defined, 151
  - function of, 19, 21
  - location of, 59, 65

## B

- Bacillus thuringiensis* var. *israeliensis*, for mosquito control, 111, 111
- Backflow preventers, 19–21
  - check valves, 19, 20, 21, 65, 151
  - for containers, 71
  - defined, 151
  - double check valves, 65, 65, 145
  - function of, 9, 19, 37
  - reduced-pressure, 156
  - yearly inspections of, 66–67
  - See also* Atmospheric vacuum breakers
- Bacteria
  - as soil microbes, 15
  - See also* Diseases, plant
- Ball-valves

- defined, 151
  - in filters, 22, 23, 67
  - in-line, 63
  - installing, 46
  - manual, 45
  - shut-off, 59, 91, 154
- Barbs. *See* Transfer barbs
  - Batteries, for timers and controllers, 119, 123–124
  - Blue Strip Drip, Toro, suppliers, 163
  - Boron, in grey water systems, 98
  - Buffer tanks. *See* Surge tanks, for grey water systems

## C

- Cadmium, in cistern water, 110
- Center for Irrigation Technology, California State University at Fresno, 141, 144
- Check valves, 65
  - as backflow preventers, 19, 20, 21
  - defined, 151
  - double, 65, 65, 145
  - installing, 21, 39
  - selecting, 21
  - for sump pumps, 106
- Chlorine, in grey water systems, 98–99
- Cisterns and tanks, 109–115, 113
  - 50-gallon drums, 111–112
  - benefits of, 109–110
  - cleaning and repairing, 112, 113, 114
  - concrete slabs for, 111, 112
  - cost to install, 110, 111–112
  - delivery mechanisms, 111, 112–113
  - diverter valves, 109
  - drip irrigation from, 114–115
  - filters for, 109, 114, 114
  - location of, 112
  - pumps for, 112–113
  - rain barrels, 111, 111
  - size considerations, 110, 113–114
  - tank anatomy, 110–111
  - underground tanks, 112
  - water pressure, 36
  - water quality, 110
  - as water source for firefighters, 112
  - web sites, 165, 166
- Clay soils
  - emitter spacing for, 42–43, 91–92
  - pattern of underground water spread, 26
  - problems associated with, 16
  - root patterns of fruit trees and, 81
- Cleaning products
  - grey water systems and, 98–99, 102, 104
  - for water storage tanks, 114
- Climate, drip irrigation efficiency and, 55–56, 55
- Close nipples, defined, 151–152
- Collection pipes, grey water, 100
- Compression fittings
  - for 1/2-inch tubing, 29
  - for 3/8-inch tubing, 76

adapters, 41–42, 41  
for buried main assemblies, 62  
defined, 152  
end caps, 45, 82  
function of, 32, 33  
installing, 40  
for raised beds, 90, 91  
tees, 44

Compression rings, defined, 152

Container plantings, 71–77  
benefits of drip irrigation, 71  
filters for, 71  
hanging pots, 75–76, 75  
hiding tubing in, 71, 72, 73  
in-line emitter tubing for, 30  
irrigation difficulties, 71  
large pots, 73–75, 74  
main assemblies for, 71  
medium pots, 72–73  
pressure regulators, 71  
separate irrigation systems for, 76–77, 77  
small pots, 72  
stake emitters for, 32

Controllers. *See* Timers and controllers

Coupler fittings  
defined, 152  
types of, 29

Cover crops (green manure)  
compatibility with drip irrigation, 7  
defined, 154

Cross-threading, 61

Crown rot (*Phytophthora*), defined, 155

Cultivation, of unframed garden beds, 93

## D

Daily Needs Formula (DNF), 53, 55, 82

Daily Water Use (ET), 83, 83

“Daylighting,” of grey water, 99, 100, 104

Degree of Dripology, 10

Dell, Owen, 119

Densitometers, soil water sensors, 125–126

Designing systems  
checking water supply, 35–36  
controlling system, 37  
examples, 20, 35, 36, 44, 68  
for existing plants, 42  
laying out tubing, 41–47  
for new plantings, 46–47  
poor vs. good designs, 19

Diaphragms, defined, 152

Diseases, plant  
anaerobic soil conditions and, 14  
of container plants, 71  
distance of emitters from plant crown, 43, 43, 47, 85  
drip irrigation to reduce, 2, 6, 8, 71, 79–80  
*Phytophthora* crown rot, 155

Diseases (human), transmitted in grey water, 97–98, 99

Double check valves, 65, 65, 145

Drain-down (exhaust) headers, 20  
defined, 152  
function of, 46  
for grey water surge tanks, 102, 102

Drip-A-Tron Cleaner, 135

Drip hose. *See* Hose entries

Drip irrigation

benefits of, 1–2, 5–7, 51, 99  
costs to install, 7  
defined, 152  
Germone Demonstration Orchard, 79–80  
grey water for, 97–107  
intimidation by technology, 8–9  
kits, drawbacks of, 19  
limitations of, 7–8  
simplicity of, 8  
suppliers, 161–164  
system efficiency vs. climate, 55–56, 55  
water pressure requirements, 156  
from water storage tanks, 114–115  
web sites, 165–167

Dripline, defined, 152–153

Drip lines, defined, 152

Dripology, defined, 153

Dripper line. *See* Hoses, in-line emitter tubing

The Drip Store, 161

Dripworks, 161

Drought-resistant plants  
benefits of, 114  
in containers, 73  
emitter placement for, 43  
ET efficiency rates, 53, 56  
frequent, shallow watering for, 50–51

Drought stress  
benefits of drip irrigation, 16  
multiple emitters for each plant, 8, 14, 47  
nutrient absorption and, 15–16, 49–50  
root system function, 14–15, 49  
water shortages and, 98, 99, 109–115

Drought (water shortages)  
cisterns and, 109–115  
defined, 153  
grey water and, 98, 99

Dweebs, defined, 153

## E

Elbow fittings  
defined, 153  
types of, 29

Elbow grease, defined, 153

Electricity  
automatic timers and power failures, 121, 124  
for electronic multistation timers, 122  
for sump pumps, 105

Emitter-cleansing products, 135

Emitters  
broken, 27  
continuous zone of moisture below, 26  
defined, 153  
flow rate and, 24, 27, 56  
for Germone Demonstration Orchard, 79–80  
for grey water systems, 129  
hidden by mulch, 8  
for medium containers, 72–73  
multiple for each plant, 8, 47  
placement for trees, 81–82, 82  
punched-in, 24, 24, 27, 32, 74  
restricted root development and, 7  
self-cleaning, 31  
shape of moist area surrounding, 13, 26, 30  
for small containers, 72  
stake (spot spitters), 32, 72–73, 75, 157

- Treflan-impregnated (Rootguard), 141, 143–144
  - types of, 24, 27
  - for Ultra Low Drip Irrigation, 129
  - See also* Hoses, in-line emitter tubing
  - Emitters, clogging
    - cistern water and, 106–107, 107
    - dissolved minerals and, 36, 133–135
    - emitter quality and, 7, 80
    - grey water and, 7
    - in-line emitter tubing to reduce, 30, 114–115
    - by insects, 134, 143
    - plant stress and, 8
    - SDI systems and, 142
    - See also* Filters
  - Emitters, pressure-compensating, 28
    - for containers, 72
    - defined, 156
    - in-line tubing, 30, 30, 31–32, 82
    - for SDI systems, 141
    - when required, 27
  - End caps
    - defined, 153
    - flushing, 131–132, 131
    - removing in winter, 135
    - types of, 45, 64, 82, 153
  - Energy conservation, promoted by drip irrigation, 1–2, 7
  - Enteroviruses, transmitted in grey water, 97
  - ET System (Hunter Irrigation), 127–128
  - Evapotranspiration (ET), defined, 153
  - Evapotranspiration rate
    - calculations for specific crops, 56
    - daily water use table, 52, 83, 143
    - defined, 17, 50
    - ET-based automatic controllers, 126–127
    - irrigation based on, 50, 51–56
    - plant factor chart, 53
    - refining, 54–56
    - root zone and, 54, 55
    - for shrubs, 85
    - for trees, 82–84
  - Exhaust (drain-down) headers, 20
    - defined, 152
    - function of, 46
    - for grey water surge tanks, 102, 102
- F**
- Farwell, Larry, 106–107
  - Faucets
    - defined, 153
    - as drip system “controller”, 37
    - hose threads, 38
    - location of, 19
    - selecting, 19
    - stabilizing legs for main assembly, 38, 157
    - timers or controllers attached to, 118, 119–120
    - See also* Backflow preventers
  - Fecal matter, in grey water, 98
  - Female hose threads (fht), defined, 153
  - Female iron pipe threads (fipt), 38, 40, 60, 151, 153
  - Fertilizer injectors and proportioners
    - to acidify system, 133–135
    - Dosatron proportioner, 134
    - EZ-FLO Fertilizing System, 134
    - to fertilize plants, 6, 134
    - Mazzei injector, 133, 134
    - proportioners, defined, 156
  - Figure 8 end closures, 153
  - Filters, 22–23
    - for above ground main assemblies, 62–63
    - Amiad, 22
    - Arkal, 23, 23
    - for buried main assemblies, 59–60, 62
    - for cisterns, 109
    - cleaning, 21, 22–23, 22
    - for containers, 71
    - converting mesh to microns, 114
    - defined, 153
    - function of, 19
    - for Germone Demonstration Orchard, 80
    - for grey water systems, 99, 102, 103, 106
    - inability to remove soluble minerals, 133
    - in-line tube filters, 21, 22
    - installing, 39–40
    - location of, 66
    - mesh sizes, 155
    - for mist emitters, 76
    - for porous hose, 25
    - proportioners and, 135
    - sand, 115
    - for T-tape, 87–88
    - for water storage tanks, 114–115
    - winter protection, 135, 136
    - See also* Y-filters
  - Fittings
    - check valves, 19–20, 20, 65
    - couplers, 29, 152
    - drain-down headers, 20, 46, 102, 102, 152
    - elbows, 29, 153
    - hot water to join parts, 33
    - insert, 29, 32, 154
    - mounting brackets, 40, 41
    - O-rings, 155
    - overview, 32
    - Perma-Loc, 155
    - for porous hose, 25
    - for rigid PVC pipe, 61, 93–94
    - schedule nomenclature, 156
    - slip, 38, 60, 69, 69, 157
    - speed couplings, 64–65, 157
    - swivel, 62, 92, 94, 157–158
    - tees, 29, 44, 61, 92, 158
    - transfer barbs, 28, 31, 76, 151
    - unions, 60, 62, 62–63, 67, 158
    - “x” plumbing symbol, 158
    - See also* Adapters; Atmospheric vacuum breakers; Backflow preventers; Compression fittings; Spin Loc fittings; Transition fittings
  - Float switches, for sump pumps, 105
  - Flowering plants
    - benefits of drip irrigation, 2
    - grey water used for annuals, 98
    - raised beds, 90
  - Flow rates
    - calculating, 24, 56
    - for containers, 71, 72–73, 76–77
    - control of, 5
    - emitter spacing and, 42–43, 46
    - fitting types and, 32–33
    - for Germone Demonstration Orchard, 80
    - for hanging plants, 75
    - for in-line emitter tubing, 30

- low flow rates, 7
- for Mono- and Bi-wall tubing, 87
- for multiple-station systems, 67–68
- for porous hose, 25
- for proportioners, 134–135
- PVC pipe size and, 147
- for raised beds, 91–92
- soil type and, 13–14
- for T-tape, 87
- tubing comparison, 32
- for vegetable beds, 92
- See also* Emitters, pressure-compensating; Pressure regulators
- Flushing end caps, 131–132, 131
- Flushing hoses, 131–132
  - in container plantings, 73
  - drain-down headers and, 20, 46, 102, 102, 152
  - forgetting to flush, 59, 59, 62
  - line flushing valves, 131
  - SDI systems, 143
  - solenoid valves for, 133
- Free lunch, defined, 154
- Freeze sensors, for automatic timers and controllers, 126
- Fruit trees. *See* Trees and shrubs
- Fungi
  - as soil microbes, 15
  - See also* Diseases, plant
- Furrow irrigation
  - crop yields and, 6
  - water use efficiency, 5

## G

- Galbreath, Bob, 128
- Galvanized pipes, for controllers, 119
- The Gardener's Supply Company, 161
- Gate valves, defined, 154
- Geoflow Subsurface Tubing
  - maximum length for flat ground, 149
  - suppliers, 141, 142, 143, 163
- Germone Demonstration Orchard, 79–80
- Gizmo-phobia (fear of technology), 8–9, 17, 154
- Glossary, 151–159
- GoDrip, suppliers, 163
- Goof plugs, 31, 154
- Gophers. *See* Rodents
- Gould, Michael, 110
- Gravity grey water systems, 101
- Gray Water Pilot Project*, Los Angeles, 98, 99
- Green manure (cover crops)
  - compatibility with drip irrigation, 7
  - defined, 154
- Grey water (GW)
  - pathogens transmitted by, 98, 99
  - potential health risks, 97–98
- Grey water systems (GWSs)
  - collection pipes, 100
  - configurations, 100, 101
  - distribution valves, 104
  - for drip irrigation, 99
  - drip tubing/emitters for, 106, 129, 129
  - emitter clogging, 7, 106–107, 107
  - filter bags, 99, 102, 103, 106
  - gravity systems, 101
  - legality of, 97, 101
  - overview, 99
  - safe cleaners and soaps for, 98–99

- subsurface distribution, 99, 100
- sump pumps, 100, 101, 101, 102, 104–106, 104
- surge tanks, 100–102, 100, 101, 104
- switching (diversion) valves, 98, 99, 100, 102, 104
- water sources for, 98, 99
- web sites, 166, 167

## H

- Hand watering, 6, 91
- Hanging plants
  - drip irrigation for, 75–76, 75, 134
  - irrigation controllers for, 120
- Hansen, Dennis, 141, 142, 143
- Hardware cloth, 59
  - defined, 154
  - to exclude gophers, 89, 89
- Harmony Farm supply, 162
- Head, sump pump pressure, 105–106
- Hole-punch tools, 25, 27
- Hose adapters
  - defined, 152
  - role of, 39
  - See also* Adapters; Transition fittings
- Hose bibs. *See* Faucets
- Hose clamps, fitting types and, 32–33
- Hose installation
  - to allow for winter draining, 136
  - painting plastic parts, 21, 38, 63, 76, 136
  - staking tubing, 31
  - when to install, 43
- Hoses, drip
  - adding drip tubing to existing plants, 42
  - attaching to main assembly, 42–43, 63–64, 64
  - converting drip hose to in-line emitter tubing, 41–42, 41
  - flow rate comparisons, 32
  - laying out, 41–47
  - maximum length for flat ground, 148
  - Mono- and Bi-wall tubing, 87–88, 87
  - pressure regulator selection and, 23–24
  - with punched-in emitters, 24, 24, 32, 74
  - rodent damage, 7, 10, 38, 42, 99
  - solid, 76, 82, 91
  - spaghetti tubing, 8, 25, 31, 88
  - storing, 136–137
  - T-tape, 87–88, 87
  - Ultra Low Drip Irrigation, 129
  - See also* Fittings; Flushing hoses; Spaghetti tubing
- Hoses, hiding
  - in container plantings, 71, 72, 73
  - in hanging plants, 76
  - with mulch, 8, 14, 19, 47, 80, 99
  - See also* Subsurface drip irrigation (SDI)
- Hoses, in-line emitter tubing (tortuous path emitters), 29–31
  - 1/2-inch, 24, 33, 41, 73–75
  - 1/4-inch, 24, 28, 29, 31, 71, 74, 76
  - for cistern water, 114–115
  - for containers, 71, 73
  - converting drip hose to, 41
  - defined, 154
  - distance from plant crown, 43, 43, 47
  - flow rates for, 23, 32
  - flushing and, 131
  - laying out, 41–47
  - maximum length for flat ground, 148
  - noncompensating, 27, 141

pressure-compensating, 28, 30–32, 30, 82, 91–92, 141, 144, 156  
 for raised beds, 88–93, 89, 90, 94, 94  
 sample layout, 20  
 for SDI systems, 141–145, 145  
 for shrubs, 85  
 space between emitters, 42–43, 46  
 suppliers, 141, 144, 162–163  
 supply headers, 44  
 tortuous path emitters, defined, 158  
 for trees, 82  
 winter protection, 135, 136

Hoses, laser, 24, 27, 29  
 defined, 155  
 flow rates for, 23  
 flushing, 133

Hoses, porous or soaker, 24, 24, 25  
 clogging, 25  
 flow rates for, 23, 32  
 flushing, 133  
 installing, 25  
 maximum length for flat ground, 148  
 rodent damage, 42  
 winter protection, 135

Hose shut-off valves, 59, 91, 154

Hose threads (ht)  
 adapters, 39  
 female (fht), 38, 153  
 male (mht), 38, 155, 158

Humidity  
 created by spot spitters, 73, 75–76  
 as drip system limitation, 8  
 plant diseases and, 2, 6, 8, 71

## I

Injectors. *See* Fertilizer injectors and proportioners

Insects  
 mosquitoes in rain barrels, 111, 111  
 tubing clogged by, 134, 143

Insert fittings, 29, 32, 154

IPS Flex-PVC, 93–94, 154

Iron, in water supply, 36

Irrigation contractors, to inspect systems, 66–67

Irrigation Direct, Inc., 163

Irrigation duration, 49–56  
 for container plantings, 72, 76–77  
 Daily Needs Formula, 53, 55  
 daily water use, 52, 83–84, 83, 143  
 ET-based irrigation, 50, 51–56, 82–84, 85, 126–127  
 frequent, shallow watering, 16, 50–51  
 how long to leave system on, 51  
 nutrient absorption and, 14–15, 49–50  
 plant factor chart, 53  
 rate of application formula, 52, 53, 143  
 for SDI systems, 143–144  
 for trees, 17, 82–84  
 water use at various depths, 14–15, 14, 16, 49–50

The Irrigation Mart, 162

Irrrometer Company, 126

## J

Jandy 3-port NeverLube valve  
 function of, 102  
 web site, 166

*Jean de Florette*, cisterns depicted in, 109

Johnson, David, 56

Jorgensen, Greg, 141, 144

J-stakes, defined, 154

## K

Klutzes, defined, 154

Kourik, defined, 155

## L

Labyrinth  
 defined, 155  
*See also* Hoses, in-line emitter tubing (tortuous path emitters)

Landscapers, QWELs, 166

Landscape staples (U-stakes), 47, 82, 158

Laser tubing. *See* Hoses, laser

Lateral hoses (subsystems), 20  
 connecting, 46  
 defined, 19, 155, 157  
 laying out, 41–47  
 one main assembly for multiple, 46  
 for raised beds, 92

Lawns  
 aerators, 142  
 SDI systems for, 142

Lead, in cistern water, 110

Liquid Wrench, 61

Loam soils, 16

## M

Main assemblies, 37  
 assembling, 38–41  
 attaching drip tubing to, 42–43  
 attaching to hose (movable), 63–64, 64  
 automatic, 66  
 bracing, 37, 38, 40–41  
 components, 19  
 for containers, 71  
 defined, 155  
 flow rates, 32  
 hiding above ground, 62–63, 63  
 hiding below ground, 59–62, 59, 60, 65, 68–69  
 location of, 36, 36  
 for multiple-station systems, 46, 66, 68  
 one for several landscape sections, 65–69  
 painting, 38, 41, 63, 66, 67, 136  
 for SDI systems, 141, 145  
 stabilizing legs, 38, 157  
 for Ultra Low Drip Irrigation, 129  
 unions, 60, 62, 62–63, 67  
 winter protection, 59, 62, 135

Maintenance and repairs  
 acidifying system, 133–135  
 drip system requirements, 7  
 overview, 131  
 painting plastic parts, 21, 38, 63, 76, 136  
 replacing broken emitters, 27  
 storing drip parts, 136–137  
 of water storage tanks, 112, 113, 114  
 winter protection, 59, 62, 120, 135–136  
*See also* Emitters, clogging; Flushing hoses; Pop Murphy's Laws of Plumbing

Male hose threads (mht)  
 defined, 155

- transition nipples, 158
- Male iron pipe threads (mipt), 38, 40, 61, 151
  - defined, 155
  - transition nipples, 158
- Master Garden Program, Germone Demonstration Orchard, 79–80
- Mesh size, for filters, 155
- Mice. *See* Rodents
- MicroIrrigation Forum, web site, 167
- Miltenberger, Gary, 123
- Minerals
  - acidifying system to remove, 133
  - in cistern water, 110
  - emitters clogged by, 36
  - in water supply, 36, 133–135
- Moles. *See* Rodents
- Mono- and Bi-wall tubing, for vegetable beds, 87–88, 87
- Mosquitoes, in rain barrels, 111, *III*
- Mounting brackets, installing, 40, 41
- Mulch
  - drip systems hidden by, 8, 14, 47, 80, 99
  - grey water applied beneath, 99
  - for landscape trees, 80
  - newspaper, 14
  - to protect tubing in winter, 135
  - for raised beds, 89
  - for weed control, 7, 14

## N

- The Natural Gardening Company, 144, 162
- Netafim (UniRam) tubing
  - for grey water systems, 129
  - for SDI systems, 141, 143
  - suppliers, 31, 163
  - web site, 167
- Nipples
  - close, 151–152
  - defined, 155
  - transition, 158
- “Non-volatile memory”, for automatic timers and controllers, 124
- Numero Uno, defined, 155
- Nutrient absorption
  - by deep roots, 14, 49
  - soil structure and, 16
  - wet and dry soil cycles and, 15–16, 49–50
- Nutrients, released by soil microbes, 15, 49

## O

- Ocean, Sidney, 136
- O-rings, defined, 155

## P

- Pathogens (human)
  - survival time in soil, 97–98
  - transmitted in grey water, 98, 99
- Perennial plants
  - grey water used for, 98, 106
  - See also* Trees and shrubs
- Perma-Loc fittings, defined, 155
- Phytophthora* crown rot, defined, 155
- Pipe dope
  - defined, 155–156
  - Teflon, 39, 61
- Pipe tape, Teflon, 39

- Pipe threads
  - adapters, 39
  - fip, 38, 40, 60, 151, 153
  - mip, 38, 40, 61, 151, 155, 158
  - transition nipples, 158
- Plant factor chart, ET efficiency rates, 53
- Plant growth
  - benefits of drip irrigation, 2, 5–6, 16–17
  - evapotranspiration rate, 17
  - wet and dry cycles, 15–16, 49–50
  - See also* Root systems
- Plantings, new, 46–47
- Plumbers, professional
  - to design/install grey water systems, *101*
  - dweebs, 153
  - to install cistern pumps, 112–113
  - to install reduced pressure backflow preventers, 156
- Plumbing
  - collection pipes for grey water systems, 100
  - fear of, 9, 17
  - getting to know plumbing parts, 2
  - for proportioners, 135
  - reality-based, 10
- Point-source drip irrigation, defined, 27
- Pop Murphy, defined, 156
- Pop Murphy’s Laws of Plumbing (PMLP), 2, 9, 9–10, 139
  - cheap system components and, 19
  - defined, 156
  - digital irrigation timers and, 119
- Porous blocks, soil water sensors, 125–126
- Pots, for container plantings, 72
- Pressure gauges, 35, 36
- Pressure regulators, 23–24, 23
  - for containers, 71
  - defined, 156
  - installing, 40
  - limit of, 46
  - location of, 147
  - for multiple-station systems, 67–69
  - for porous hose, 25
  - ratings, 23
  - Senninger, 23–24
- Preston Vineyards, raised vegetable beds, 89–91, *90*
- Proportioners. *See* Fertilizer injectors and proportioners
- Psi (pounds per square inch), defined, 156
- Pumps. *See* Sump pumps, for cisterns; Sump pumps, for grey water systems
- PVC glue
  - for rigid PVC pipe, 67, 93–94
  - for slip fittings, 38
  - toxicity of, 10, 38
- PVC pipe, rigid
  - attaching fittings, 61, 93–94
  - cross-threading, 61
  - defined, 156
  - flow rates and size of, 147
  - IPS Flex-PVC, 93–94, 154
  - maximum length for flat ground, *148*
  - for multiple-station systems, 65, 67–69, *69*
  - to prevent gopher damage, 42, 147
  - schedule nomenclature, 156
  - slip fittings for, 157
  - for unframed garden beds, 93–94, *93*

## Q

Qualified Water-Efficient Landscapers (QWELs), web site, 166

## R

Rain, summer

- storage tanks and lack of, 110
- weed control and, 14

Rain barrels, 111, *111*

*See also* Cisterns and tanks

Rain Bird

- Landscape Dripline PC, 163
- Simple-to-Program timers, 121, *121*

Raindrip, suppliers, 163

Rain sensors, for automatic timers and controllers, 125, *126*

Rainwater collection

- American Rainwater Catchment Systems Association, *113*
- for drinking water, 110
- roof-collection systems, 110–114, *113*
- tanks and cisterns, 109–110
- Texas Rainwater Catchment Guidelines, *113*

Raised beds

- for annual flowers, *90*
- framed, 88–93, *89, 90*
- unframed, 93–94, *93*

Rate of application formula, 52, 53, 143

Rats. *See* Rodents

Repairs. *See* Maintenance and repairs

Risers

- for buried main assemblies, 60–62
- defined, 156

Rodents (gophers, moles, mice, rats)

- in grey water systems, 102
- hardware cloth to exclude, 59, 89, *89*
- hoses eaten by, 7, 10, 38, 42, 99, 142, 147

Roofs, collecting rainwater from. *See* Rainwater collection

Rootguard (Treflan-impregnated emitters), 141, 143–144

Root systems

- damaged by waterlogged soil, 49–50
- deep root function, 14–15, 49
- of desert plants, 56
- ET-based irrigation and, 54, 55
- of fruit trees, 81, *81*
- moisture extraction vs. root depth, *15*
- restricted by drip irrigation, 7
- SDI systems invaded by, 141
- sinker roots, defined, 157
- water use at various depths, 14–15, *14*, 16, 49–50, 79
- width of, 43, 47, *81*

## S

Safety

- health risks of grey water, 97–98
- PVC glue toxicity, 10, 38

Salco Products, SMARTInline PC, 163

Saline water

- drip irrigation and, 6
- municipal water as, 109

Sandy soils

- emitter spacing for, 42–43, 91–92
- pattern of underground water spread, 26
- root patterns of fruit trees and, 81

Santa Monica demonstration project

- ordinances, web site, 167
- WBICs, 127–128

Sch (schedule), PVC pipe and fittings, 156

Schultz, Warren, 8

Sewage waste, grey water classified as, 97, 98

Sewer systems or septic tanks, valves to divert grey water to, 98, 99, 100, 102, *102*, 104

Shut-off ball valves, 59, 91, 154

“Simple-but-not-easy” concept, 8

Sinker roots, defined, 157

Slip fittings (PVC), 38, *60*, 69, *69*, 157

Slopes

- benefits of drip irrigation, 6, 51
- pressure-compensating emitters for, 30, 141

SMARTInline PC (Toro), suppliers, 163

Soaps

- grey water systems and, 98–99, 102, 104
- water storage tanks and, 114

Soil compaction

- grey water irrigation and, 104
- sprinkler irrigation and, 6–7

Soil depth, 16, 50

Soil microbes

- aerobic layers, 16, 49, 99, 104
- conditions favorable to, 13–14, 15
- function of, 15, 49
- human pathogens as, 97–98
- populations vs. soil depth, 15, *15*, 49–50
- toxic vapors emitted by, 49
- wet and dry soil cycles and, 16, 49–50

Soil Moisture Equipment Corporation, 126

Soil moisture level

- maintained by drip irrigation, 5–6
  - tools for testing, 117–118, *117*, 125–126
- See also* Drought entries

Soils

- aerobic layers, 15, 16, 49, 99, 104, 151
- anaerobic layers, 14, 16, 49–50, 99, 104
- clay, 16, 26, 42–43, 81, 91–92
- emitter spacing and, 42–43
- loam, 16
- sandy, 26, 42–43, 81, 91–92
- structure promoted by drip irrigation, 6–7
- testing flow of water through, 13–14, *13*
- understanding, 11, 13–14

Solenoid controllers

- for automatic flushing, 133
- defined, 157
- for multistation timers, 66, 122, 123, 124

Spaghetti tubing (1/4” or 1/8”)

- barbed fittings for, 28
  - for containers, 71, 72–75, 74
  - defined, 157
  - hanging pots and, 76
  - limitations of, 8, 25, 25, 31, 88
  - maximum length for flat ground, *148*
  - stakes for, 157, 158
- See also* Hose entries

Speed couplings (accessory adapters), 64–65, 157

Spin Loc fittings

- defined, 157
- function of, 32, 33
- installing, 43, 44, 46
- Perma-Loc, 155
- for trees and shrubs, 82
- types of, 29
- for vegetable beds, 90, 91, 92

Sprinkler irrigation

- costs compared to drip, 7
  - defined, 157
  - diseases spread by, 2, 6, 8, 71
  - saline water and, 6
  - soil compaction and, 6–7
  - water use efficiency, 5, 13, 51, 79–80
  - Stabilizing legs, 38, 157
  - Stake emitters (spot spitters), 32, 72–73, 75, 157
  - Stakes
    - combination, 152
    - in container plantings, 72, 74, 75
    - function of, 31
    - J-stakes, 154
    - for risers, 60–61
    - for spaghetti tubing, 157, 158
    - U-stakes, 47, 82, 158
  - Storage tanks. *See* Cisterns and tanks
  - Subsurface drip irrigation (SDI)
    - Agrifim tubing, 141, 149, 163
    - air vacuum relief valves, 142–143, 145
    - Geoflow Subsurface Tubing, 141, 142, 143, 149, 163
    - gophers and, 142
    - for grey water, 99, 100
    - main assemblies, 141, 145
    - maximum length for flat ground, 149
    - Netafim tubing, 141, 143
    - overview, 141
    - timing, 143–144
    - Treflan-impregnated emitters, 141, 143–144
    - tubing depth, 142, 145
    - tubing layout, 141, 142, 145
    - water requirements, 143
    - winter protection, 143
  - Subsystems. *See* Lateral hoses
  - Sump pumps, for cisterns, 112–113
  - Sump pumps, for grey water systems, 100, 101
    - cost of, 104
    - failure of, 101
    - overview, 104–105
    - specifications, 105–106
  - Suppliers
    - irrigation equipment, 161–163
    - SDI system components, 141, 144
    - web sites, 165–167
  - Supply headers, 43–44, 44, 157
  - Surge (buffer) tanks, for grey water systems, 100–102, 100, 101, 104
    - adapter (bung) fittings, 102, 102
    - draindown valves, 102, 102
    - leak protection, 102
  - Sustained pumping rate, for water supply, 35–36
  - SWAT (Smart Water Application Technologies) controller, 127–128, 165, 167
  - Switching valves, for grey water systems, 98, 99, 100, 102, 104
  - Swivel fittings, 62, 92, 94, 157–158
- T**
- Techline tubing
    - benefits of, 31
    - maximum length for flat ground, 147, 148
  - Tee fittings
    - for buried main assemblies, 61
    - compression, 44
    - defined, 158
    - swivel, 62, 92
    - types of, 29
  - Texas Rainwater Catchment Guidelines, web site, 166
  - Timers and controllers
    - Bermadon Automatic Metering Valve, 118–119, 118
    - for container plants, 76, 77
    - controllers, defined, 117, 153
    - function of, 124
    - Gardena, 118
    - manual, 117–118
    - manual-on, automatic-off, 118–119, 118
    - multistation, manually controlled, 120–121, 120
    - Orbit Irrigation Products, 120, 121, 125
    - overview, 117
    - Rain Bird Simple-to-Program timers, 121, 121
    - seasonal plant needs, adjusting for, 119, 122, 125
    - soil moisture testing, 117
    - timers, defined, 158
    - used in Germone Demonstration Orchard, 80
    - web sites, 165, 167
    - winter protection, 135
  - Timers and controllers, computerized
    - battery-operated, 119, 123–124
    - costs of, 124, 126
    - DIG hose-thread watering timer, 119–120
    - drawbacks, 117
    - for ET-based irrigation, 126–127
    - freeze sensors, 126
    - location of, 126
    - microchip, faucet-mounted, 119–120
    - multistation digital timers, 122–124
    - “non-volatile memory”, 124
    - overview, 119
    - Rain Dial (Irritrol), 122, 123, 124
    - rain sensors, 125, 126
    - remote controls, 126
    - soil water sensors, 125–126
    - solenoid controllers, 122, 123, 124, 133, 157
    - Weather Based Irrigation Controllers, 127–128
    - Weather TRAK ET, 124, 128
    - web sites, 167
    - winter protection, 120, 135
  - Toro Company
    - Blue Strip Drip, 163
    - SDI system components, 143, 144
  - Tortuous path emitters. *See* Hoses, in-line emitter tubing
  - Transfer barbs, 28, 31, 76, 151, 158
  - Transition fittings, 69
    - installing, 20, 40, 69
    - transition nipples, 158
  - Trees and shrubs, 79–85
    - amount of water required for trees, 82–84
    - benefits of drip irrigation, 2, 5
    - dripline, defined, 152–153
    - emitter placement for trees, 81–82, 82
    - ET-based irrigation and, 54, 55–56
    - ET efficiency rates, 53
    - Germone Demonstration Orchard, 79–80
    - grey water used for, 98, 106
    - irrigation controllers for, 120
    - irrigation frequency, 17
    - leaf litter on roofs, 114
    - root patterns of fruit trees, 81, 81
    - shrubbery, defined, 156–157
    - sinker roots, defined, 157
    - water use at various depths, 14

Treflan-impregnated emitters (Rootguard), 141, 143–144

T-tape, for vegetable beds, 87–88, 87

Tubing. *See* *Hose entries*; Spaghetti tubing

## U

Ultra Low Drip Irrigation (ULDI), 129

Unions, for main assemblies, 60, 62–63, 67, 158

UniRam tubing. *See* Netafim tubing

The Urban Farmer Store, 162

U-stakes (landscape staples), 47, 82, 158

## V

### Valves

air vacuum relief valves, 142–143, 145

check valves, 19, 20, 21, 39–40, 106, 151

for cistern bottom drains, 112

clogging, 124

distribution, for grey water systems, 104

diverter, for cisterns, 109

double check valves, 65, 65, 145

draindown, for grey water surge tanks, 102, 102

gate valves, 154

Jandy 3-port NeverLube, 102, 166

line flushing, 131–132, 131, 143

shut-off ball, 59, 91, 154

solenoid controllers for, 66, 122, 123, 124, 157

switching, for grey water systems, 98, 99, 100, 102, 104

winter drain-down, 134

Y-valves, 21, 40, 63–64, 64, 159

*See also* Ball-valves; Timers and controllers

### Vegetable beds, 87–95

benefits of drip irrigation, 5–6

grey water used for, 98

inline tubing for, 94, 94

Mono- and Bi-wall tubing for, 87–88, 87

at Preston Vineyards, 89–91, 90

raised beds, framed, 88–93, 89, 90

separate irrigation systems for, 77

spaghetti tubing for, 88

T-tape for, 87–88, 87

unframed garden beds, 93–94, 93

water use at various depths, 14

web sites on, 165

Vines, ET efficiency rates, 53

Vossen, Paul, 79, 82–84

## W

### Water conservation

benefits of drip irrigation, 1–2, 5

benefits of frequent, shallow watering, 16, 50–51

water storage tanks and, 114–115

weather-based controllers, 127–128

Watering areas (zones), rotating grey water between, 104

### Waterlogged soils

anaerobic conditions, 14, 16, 49–50, 104

drip irrigation to reduce, 13–14, 51

plants damaged by, 49–50

zone of continuous moisture, 26

“Water Management for Fruit Trees and Other Plants” (P. Vossen), 82–84

### Water pressure

pressure gauges, 35, 36

for proportioners, 134–135

psi, defined, 156

sustained pumping rate, 35–36

*See also* Pressure regulators

### Water quality

acidifying system to remove minerals, 133–135

of cistern water, 110

emitter clogging and, 36, 80, 133

minerals in water, 36, 110, 133–135

saline water, 6, 109

### Water shortages (drought)

cisterns and, 109–115

defined, 153

grey water and, 98, 99

### Water sources

city water, 23, 25

dissolved minerals in, 36

pH testing, 114

shutting off in winter, 135

supply pipes for multistation timers, 123

trucked-in water, 110

well water, 23, 25, 30, 35–36, 133

*See also* Cisterns and tanks; Grey water systems

Water storage tanks. *See* Cisterns and tanks

Water SWAT Testing List, web site, 167

Water use, calculating, 113–114

*Weather and Soil Moisture-Based Irrigation Scheduling Devices,*

*Technical Review Report*, web site, 167

Weather Based Irrigation Controllers (WBICs)

Santa Monica demonstration project, 127–128

suppliers, 127

SWAT controller, 127–128, 167

Weather TRAK ET Plus, 124, 128, 128

web sites, 165, 167

Weather stations, for ET-based automatic controllers, 126–127

Weather TRAK ET controllers, 124, 128, 128

Web sites, 165–167

### Weed control

benefits of drip irrigation, 6, 14

mulching, 7, 14

weeding around drip systems, 7, 25, 88

Wet spots, defined, 158

### Winter protection

for computerized timers and controllers, 120

for drip systems, 135–136

for main assemblies, 59, 62, 135

for SDI systems, 143

for timers and controllers, 135

winter drain-down valves, 134

## X

“x” plumbing symbol, defined, 158

## Y

Y-filters, defined, 158–159

Yields, impact of drip irrigation on, 2, 5–6, 16–17

### Y-valves

to attach main assembly to hose, 63–64, 64

for backflow preventers, 21

defined, 159

installing, 40

## Z

Zamora, Lonnie, 136

Zones (watering areas), rotating grey water between, 104

